



Certificate of Analysis

All tests passed. This certificate is verified and authentic.

TESTED FOR



Panda Peptides
pandapeptides.com

Product Information

Product
MT-2 - 10mg

Appearance
Good

Date Received
09/08/2026

Lot Number
PP2605-030

Test Type
Full QC Panel

Analysis Confirmed
09/16/2026

Confirmed Fentanyl Free

Immunoassay, 50 ng/mL cutoff

Test Results — Full QC Panel				
Analyte	Limit	Result	Unit	Status
Peptide Purity (HPLC)	≥ 95.0%	99.62%	%	PASS
Net Peptide Content	Report Only	10.62	mg	N/A
Identity (ID)	Melanotan II	Confirmed	-	PASS

 Elemental Impurities — ICP-MS per USP (233)			
Element	Limit (ppm)	Result (ppm)	Status
Arsenic (As)	≤ 1.5 ppm	< LOQ	PASS
Cadmium (Cd)	≤ 0.5 ppm	0.058 ppm	PASS
Chromium (Cr)	≤ 10 ppm	< LOQ	PASS
Mercury (Hg)	≤ 1.5 ppm	0.136 ppm	PASS
Lead (Pb)	≤ 1 ppm	< LOQ	PASS
Overall: PASS			


 Sterility Testing (PCR)			
Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

 Endotoxin Testing — USP (85)	

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	≤ 0.05 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

HPLC Chromatogram



Representative chromatogram, Conformity V1 (closest to batch mean purity)

Sample	Purity	Net Content	Identification	Result
Dedicated V0	99.62%	10.62 mg	Confirmed	PASS
★ Conformity V1	99.66%	10.7 mg	Confirmed	PASS
Conformity V2	99.67%	10.61 mg	Confirmed	PASS

STATISTICAL SUMMARY

Purity (HPLC)	Net Peptide Content	Endotoxin (USP <85>)
---------------	---------------------	----------------------

Mean: 99.65 %
Std Dev: 0.0216 %

Mean: 10.64 mg
Std Dev: 0.0403 mg

Mean: 0.05 EU/mL
Std Dev: 0.0000 EU/mL

★ Representative sample: Conformity V1 (closest to batch mean purity). The chromatogram above corresponds to this sample.

NOTES & METHODOLOGY

1. Date Tested: 09/16/2026. Methods: Full QC Panel.
2. The sample was confirmed to be MT-2 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP (233) methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP (85) kinetic chromogenic method. Acceptance criteria per client specification.
5. Sterility testing performed by PCR (Polymerase Chain Reaction) method.
6. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
7. Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
8. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.

Dr. Greg Kalyuzhny
Lab Director
09/16/2026

COA: COA-2026-3EUTNN
Access Code: 28CEHDNS
Produced: 9/16/2026

This certificate was issued by **ILS Laboratories LLC**